



Jindal Bricks

Jindal mechno Bricks Pvt. Ltd.

[www.jindalbricks.in](http://www.jindalbricks.in)

# About Us:



**Jindal Mechno Bricks Pvt Ltd** is a leading manufacturer of machine-made bricks, unglazed ceramic cladding tiles, brick pavers & hollow blocks. Bricks and related products are manufactured using both technologies of press and extrusion. We manufacture products of highest quality using the latest European machines, sophisticated technologies and high-quality raw materials. At Jindal Mechno Bricks, with the third generation working in the brick making business now, we have always focused on customer satisfaction as the key to business success.

The different colours of tiles are achieved by mixing clays from different parts of the country in the right composition. Since the tiles are composed of all-natural ingredients and firing is done at over 1000-degree Celsius, these tiles never fade, peel or rot. At our 6 lakh square feet manufacturing facility, we have various quality checks in place to ensure all the products being shipped meet the highest quality standards.

**200 Tonnes**  
of firing capacity per day

**6 Lakh sqft**  
of manufacturing facility

**25 Years**  
of experience

[www.jindalbricks.in](http://www.jindalbricks.in)



Renesa Architecture Design Interiors Studio's association with Jindal Mechno Bricks through the years, the relationship has grown stronger and developed personally as well as professionally with the huge addition of state of art products at disposal. With the current demand for Indigenous products, our Studio has created various projects using their bespoke terracotta ideologies in various parts of India. The idea of "Local for Vocal" is the way forward for India in the years to come and the studio feels that the sustainable brick ideologies are making a huge comeback into the design sphere. At JMB, their service, products and their customized solutions give an edge over the International market competitors and we feel happy being a part of their ever so growing journey.

**Project:**

**Terramater**

**Name:**

**Sachin Arora**

**Designation:**

**Principal Architect**

**Company:**

**Renesa Architecture Design Interiors Studio**



# Features:



**Easy Installation**  
Cladding Tiles are sometimes preferred over brick because they are installed at the time of finishing.



**Weather Proof**  
Tiles are silicon coated before delivery on site to prevent algae deposition and water marks.



**Evergreen Colours**  
Colours will never fade as they are obtained after firing & are same throughout the thickness of tiles.



**Forget about the maintenance**  
Brick products never need to be painted and hardly need any cleaning.



# Types of Cladding Tile


## Colour:



Beige



Chocolate



Light Brown



Mud



Terracotta

## Size:



9” x 3” x 17mm  
(230 x 75 x 17mm)  
+/-1mm



9” x 2” x 20mm  
(230 x 50 x 17mm)  
+/-1mm



9” x 1.5” x 20mm  
(230 x 38 x 18mm)  
+/-1mm



6” x 1” x 20mm  
(150 x 25 x 20mm)  
+/-1mm

## Finish:



Plain



Textured



Antique

Product Type	Plain or Textured	Antique
Compressive Strength	> 110 kg / cm <sup>2</sup>	> 118 kg / cm <sup>2</sup>
Water Absorption	9.2%	5.68%
Efflorescence	Nil	Nil





# Finish: Plain

Beige



Chocolate



Light Brown



Mud



Terracotta



Dual Colour Tile





## Finish: Textured



Beige



Chocolate



Light brown



Mud



Terracotta

## Finish: Antique



Beige



Terracotta



Mud

### Notes:

1. Stock is subject to availability. Order confirmation is suggested 20 days prior to delivery date.
2. It is advised to buy the entire quantity at one time from the same lot, because sizes and colours may vary with different lots.
3. Please see samples before placing order. Actual shades vary due to photography & printing limitations.



## Cladding Tile Installation



1. Plaster the wall and make a leveled surface using a wooden hawk.



2. Put a layer of mortar on the back side of the tile.



3. Maintain the alignment of tile and thump softly to ensure fixing.



4. Use a wooden base and bent rod as shown in the picture for filling grooves After 4-5 hours, spraysome water for curing of grooves.



# Our Clients



# Contact Us

## Display Center : Delhi

B- 9/1, Upper Ground Floor, Main Ring Road, Rajouri Garden,  
New Delhi, Delhi-110027

## Display Center : Gurgaon

Shop No. A-14, Ground Floor, OmaxeCity Centre Mall Sohna  
Road, Gurgaon, Haryana | T: 0124-4238899

## Office:

507, 5th Floor, Aggarwal Millenium Tower, Netaji Subhash Place,  
Pitampura, Delhi - 110034  
Ph: +91-11-47050595

## Factory:

Village Badli, Near Dhansa Border, District Jhajjar,  
Haryana-124105

**Contact For Further Detail : +91-7838200620**

Find JMB dealer network on our website.





# **Manufacturer of:**



**Cladding Tiles**




**Brick Pavers**



**Face Bricks**



**Hollow Blocks**



**Roof Tiles**

**[www.jindalbricks.in](http://www.jindalbricks.in)**